

## Spine Pathway Model

Management of elective cervical and lumbar spine surgery candidates age 18 years and older.

### IMPORTANCE OF FOCUS

According to the Spine Journal (2009), projections based on national health expenditure for spine surgery indicate spine surgical procedures/revisions are expected to grow significantly through 2020. Reports also project that Medicare reimbursement will be determined based on the number of complication rates and length of stay (LOS). Clinical evidence indicates that utilization of an evidence-based, quality Spine Pathway Model will improve patient outcomes, reduce readmissions and complications, increase reimbursement payment and improve overall patient satisfaction.

### GOALS

The goal for this model is to improve clinical and functional outcomes for elective spine surgery patients.

To support this goal, Palmetto Health will track:

- Clinical Outcomes: Acquired Conditions/Complications (i.e. PE, DVT, UTI, MI, PNU, infections, etc.)
- Functional Outcomes: Pre- and Post- Surgical Functional Comparison (i.e. Oswestry, NDI, RAND-36)

### KEY RECOMMENDATIONS

- Pre-operative health optimization screening/PAT appointment
- Pre-operative education
- Standardized pre- and post-operative power plans
- Outcomes data collection

### CARE PATHWAY COMPONENTS


#### Indications/Criteria for Surgery

- Failed conservative care (*can be one or all*)
  - Physical Therapy
  - Pain Management/Injections
  - Activity Modification
  - Bracing
  - Counseling
- Medically Necessary
- Signs and symptoms, diagnostic imaging and disease pathology all are considered in choosing the correct procedure for the patient

## Spine Pathway Model

Management of elective cervical and lumbar spine surgery candidates age 18 years and older.

### PRE-OPERATIVE PREPARATION



#### Decision for Surgery (S-6 weeks)

- Meets Criteria or medically necessary
- Shared decision making tool offered and collaboration with surgeon occurs to determine individualized treatment plan

#### Pre-Operative Evaluation & Health Optimization (S-2 to 4 weeks)

- Clearance from PCP for surgery, if required.
- Written clearance from consulting physicians, if applicable. (I.e. Cardiologist, Pulmonologist, etc.)
- Pre-operative evaluation prior to surgery
  - Assessment (history/physical)
  - EKG
  - Blood draw
  - Possibly, consult with anesthesia
  - MRSA screening, if indicated
  - Consents signed

#### Pre-Operative Education Class (S-2 weeks)

- One hour pre-operative education class
- Guide book to reference

### PRE\_OPERATIVE

#### Guidelines of Care:

- Pain Management
  - Tylenol 1,000mg PO
  - Oxycontin 10mg or 20mg PO
  - Lyrica 150mg one hour prior to OR, then 150mg 12 hours later



## Spine Pathway Model

Management of elective cervical and lumbar spine surgery candidates age 18 years and older.

### INTRA-OPERATIVE

#### Guidelines of Care:

- Pain Management
  - Lidocaine/Marcaine (incision site): dose determined per surgeon discretion, ensuring quantity is less than maximum allowance.

### POST-OPERATIVE

#### Guidelines of Care:

- General post-operative assessment
  - Head to toe
  - Incision / dressing
  - IS, nursing q2 hours while awake
  - SCIP quality measures-VTE prophylaxis per VTE advisor
- Neurological assessment
  - Upper and lower extremities
  - Per routine (initial check with vital signs when patient arrives on unit hourly X2, and then every 2 hours X6, or with change in patient's condition then with vital signs)
  - Lower extremity vascular checks (Lumber only)
- Vital Signs
  - Per PGR
- Activity
  - Out of bed and ambulating within 2 hours of arrival to unit at least once on day of surgery and at least 3 times each day afterwards
  - Log roll as directed
- Elimination
  - Foley catheter/adult urinary management
  - Changes in bowel and/or bladder function
- Collars/Bracing
  - Cervical collar rigid/soft-per cervical spine surgery
  - TLSO-per lumbar spine surgery
- Precautions
  - Aspiration-per cervical spine surgery
  - C-Spine-per cervical spine surgery
- Diet
  - Advance per tolerated
- IV Solutions
  - 0.9% NS @ 75, 100, or 125ml/hour or LR @ 75, 100, or 125ml/hour
  - D/C IV fluids and convert to saline lock when patient tolerating PO
- Routine Medications



## Spine Pathway Model

Management of elective cervical and lumbar spine surgery candidates age 18 years and older.

- Nexium 40 mg PO q24
- Colace 100mg PO 2X daily
- Miralax 17 gms PO q24
- Dulcolax 10mg suppository PRN/MOM 30ml PO daily (both PRN)
- Ancef 2grams or 3 grams (weight-based) IV q8 hours X2 doses
- Electrolyte replacement
- Labs
  - BMP
  - CBC
- Diagnostics: X-ray
- Routine Consults
  - Case Management per lumbar spine surgery
  - Physical Therapy per lumbar spine surgery
  - Occupational Therapy for both cervical and lumbar spine surgery
  - Speech Therapy for cervical spine surgery
- Drain Management
- Pain Management
  - Tylenol 1,000mg PO every 8 hours
  - Oxycodone 5mg PO every 4 hours PRN (mild to moderate pain) per PGR
  - Oxycodone 10mg PO every 4 hours (severe pain) per PGR
  - Morphine IM (break through pain & pain scale per PGR)
    - 4mg for mild pain
    - 6mg for moderate pain
    - 10mg for severe pain
  - Flexeril 10mg PO every 8 hours TID or
  - Valium 10mg PO every 8 hours TID



# Spine Pathway Model

Management of elective cervical and lumbar spine surgery candidates age 18 years and older.

## Electronic Medical Record Power Plan (LUMBAR)

\$	▼	Component	Status	Details
<b>Lumbar Spine Surgery Post Op 6869, Powerplan (Initiated)</b>				
Last updated on: 09/01/2015 13:22 by: Pilato MD, Alexis E				
Alerts last checked on 09/01/2015 13:20 by: Pilato, Alexis				
<input checked="" type="checkbox"/> General				
<input checked="" type="checkbox"/>		Admit to Inpatient Status	Ordered	09/01/15 13:21:00, At least 2 Midnights, Stop 09/01/15 13:21:00
<input checked="" type="checkbox"/>		Bed Request	Ordered	09/01/15 13:21:00, Non-Monitored or Med Surg
<input checked="" type="checkbox"/>		SCIP Quality Measures	Ordered	09/01/15 13:21:00
<input checked="" type="checkbox"/> Code Status				
<input checked="" type="checkbox"/>		Code Status	Ordered	Start Date/Time 09/01/15 13:21:00, Code Status 1-Full Code=FC
<input checked="" type="checkbox"/> Activity				
<input checked="" type="checkbox"/>		Ambulate	Ordered	09/01/15 13:21:00, With Assistance, within (2) hours of arrival to unit; at least once on DAY OF...
<input checked="" type="checkbox"/>		Log Roll	Ordered	09/01/15 13:21:00, As Directed, To get patient out of bed and with repositioning.
<input checked="" type="checkbox"/> Nursing Orders				
<input checked="" type="checkbox"/>		Vital Signs	Ordered	09/01/15 13:21:00, per unit routine
<input type="checkbox"/>		Neurological Checks (Neuro Checks)	Pending Comp...	09/01/15 13:21:00, q1hr(s) for 2 occurrences, On admission, to include Vascular checks to lowe...
<input type="checkbox"/>		Neurological Checks (Neuro Checks)	Pending Comp...	09/01/15 13:21:00, q2hr(s) for 6 occurrences, , to include Vascular checks to lower extremities;...
<input checked="" type="checkbox"/>		Neurological Checks (Neuro Checks)	Ordered	09/01/15 13:21:00, As Directed, , to include Vascular checks to lower extremities; with routine ...
<input checked="" type="checkbox"/>		Incentive Spirometry, Nsg	Ordered	09/01/15 13:21:00, q2hrs while awake
<input checked="" type="checkbox"/>		Jackson Pratt Drain	Ordered	09/01/15 13:21:00, back, Measure, daily, If less than 30cc per 8 hours; remove and apply dres...
<input checked="" type="checkbox"/> Respiratory Care				
<input checked="" type="checkbox"/>		Consult Respiratory Care (Consult Respiratory Care Adult ...	Ordered	09/01/15 13:21:00, Unchecked, Post-Op
<input checked="" type="checkbox"/>		Oxygen Therapy, Resp Care	Ordered	09/01/15 13:21:00, Wean/Titrate Keep SaO2 greater than 92
<input checked="" type="checkbox"/>		Pulse Oximetry Continuous	Ordered	09/01/15 13:21:00, Instructions May D/C when patient reaches SaO2 of greater than 92% on r...
<input checked="" type="checkbox"/> Diet				
<input checked="" type="checkbox"/>		Clear Liquid Diet	Ordered	09/01/15 13:21:00, Room Service Appropriate, Do not advance until passing flatus and bowel f...
<input checked="" type="checkbox"/> Continuous Solutions				
<input checked="" type="checkbox"/>		Decrease	Ordered	09/01/15 13:21:00, Decrease IV to hep lock when patient is taking PO without nausea/vomiting.
<input checked="" type="checkbox"/>		Lactated Ringers 1,000 mL	Ordered	1,000 mL, 1,000 mL = Total Volume, IV, Routine, Start Date: 09/01/15 13:21:00, @ 75 mL/hr, ...
<input checked="" type="checkbox"/> Medications				
Antibacterial Agents				
<input type="checkbox"/>		cefazolin (Ancef)	Completed	2 gram, = 50 mL, IV, q8hr(s), For patients less than or equal to 120kg., Routine, Start Date: 09...
Pain Management				
<input checked="" type="checkbox"/>		acetaminophen (Tylenol)	Ordered	1,000 mg, = 2 tab, Tab, PO, q8hr(s), Mild pain or temperature greater than 101.5F; max dosag...
<input checked="" type="checkbox"/>		oxycodone (oxycodone immediate release)	Ordered	5 mg, = 1 tab, Tab, PO, q4hr(s), PRN, Moderate Pain, Routine, Start Date: 09/01/15 13:21:00
<input checked="" type="checkbox"/>		oxycodone (oxycodone immediate release)	Ordered	10 mg, = 1 tab, Tab, PO, q4hr(s), PRN, Severe Pain, Routine, Start Date: 09/01/15 13:21:00
<input checked="" type="checkbox"/>		morphine	Ordered	4 mg, = 2 mL, Inj, IM, q4hr(s), PRN, Breakthrough Pain, (Mild), Routine, Start Date: 09/01/15 1...
Nausea and Vomiting Management				
<input checked="" type="checkbox"/>		ondansetron (Zofran)	Ordered	4 mg, = 2 mL, Inj, IV, q6hr(s), Routine, Start Date: 09/01/15 13:21:00
<input checked="" type="checkbox"/>		promethazine (Phenergan)	Ordered	12.5 mg, = 0.5 mL, Inj, IV, q4hr(s), PRN, Nausea, Routine, Start Date: 09/01/15 13:21:00
Bowel-Indigestion Management				
<input checked="" type="checkbox"/>		docusate (Colace)	Ordered	100 mg, = 1 cap, Cap, PO, 2xdaily, Routine, Start Date: 09/01/15 18:00:00
<input checked="" type="checkbox"/>		bisacodyl (Dulcolax Laxative)	Ordered	10 mg, = 1 supp, Supp, PR, As Directed, PRN, Other (see Instructions), Give on post-op day #...
<input checked="" type="checkbox"/>		magnesium hydroxide (Milk of Magnesia)	Ordered	30 mL, Susp, PO, daily, PRN, Constipation, Routine, Start Date: 09/01/15 13:21:00
Anxiety Management				
<input type="checkbox"/>		lorazepam (Ativan)	Discontinued	0.5 mg, = 0.25 mL, Inj, IV, q6hr(s), PRN, Anxiety and Agitation, Routine, Start Date: 09/01/15...
Sleep Management				
<input checked="" type="checkbox"/>		zolpidem (Ambien)	Ordered	5 mg, = 1 tab, Tab, PO, HS, PRN, Insomnia, Routine, Start Date: 09/01/15 13:21:00
Glycemic Control				
<input checked="" type="checkbox"/>		Notify	Ordered	09/01/15 13:21:00, Physician for Other-See Special Instructions, In AM for FSBG greater than ...
<input checked="" type="checkbox"/> Laboratory				
<input checked="" type="checkbox"/>		CBC	Ordered	09/02/15 5:00:00, Timed Study, TS - Timed Study AM Labs, 3, days, Specimen: Blood, 09/05/1...
<input checked="" type="checkbox"/>		Basic Metabolic Panel (BMP)	Ordered	09/02/15 5:00:00, Timed Study, TS - Timed Study AM Labs, 5, days, Specimen: Blood, 09/07/1...
<input checked="" type="checkbox"/> Consults				
<input checked="" type="checkbox"/>		Consult Case Management	Ordered	09/01/15 13:21:00, Routine, Reason: Discharge Planning, DME and home care
<input checked="" type="checkbox"/>		Consult Physical Therapy	Ordered	09/01/15 13:21:00, Routine, Reason: Evaluation-Treatment, Brace on when out of Bed, if appli...
<input checked="" type="checkbox"/>		Consult Occupational Therapy	Ordered	09/01/15 13:21:00, Routine, Reason: Evaluation-Treatment

## Spine Pathway Model



































Management of elective cervical and lumbar spine surgery candidates age 18 years and older.

### (CERVICAL)

\$		Component	Status	Details
<b>Cervical Spine Surgery Post-op, Floor Admission, 6424 PowerPlan (Planned Pending)</b>				
<input checked="" type="checkbox"/> <b>General</b>				
<input type="checkbox"/>		<input checked="" type="checkbox"/> Admit to Inpatient Status		
<input type="checkbox"/>		<input checked="" type="checkbox"/> Place in Observation		
<input type="checkbox"/>		<input checked="" type="checkbox"/> Outpatient In A Bed		
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> Bed Request		Non-Monitored or Med Surg
<input type="checkbox"/>		<input checked="" type="checkbox"/> Add to List		
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> SCIP Quality Measures		
<input checked="" type="checkbox"/> <b>Code Status</b>				
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> Code Status		Code Status 1-Full Code=FC
<input type="checkbox"/> <b>Precautions</b>				
<input type="checkbox"/>		<input checked="" type="checkbox"/> Aspiration Precautions		
<input type="checkbox"/>		<input checked="" type="checkbox"/> C-Spine Precautions		
<input checked="" type="checkbox"/> <b>Activity</b>				
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> Out of Bed		With Assistance, Within two (2) hours of arrival ...
<input type="checkbox"/>		<input checked="" type="checkbox"/> Ambulate		With Assistance, 3xdaily
<input type="checkbox"/>		<input checked="" type="checkbox"/> Head Of Bed (HOB)		Keep HOB Flat
<input checked="" type="checkbox"/> <b>Nursing Orders</b>				
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> Vital Signs		per unit routine
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> Pulse Ox+Nsg (Spot Check Pulse Ox+Nsg)		check and record with each set of vital signs
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> Neurological Checks (Neuro Checks)		q1hr(s) 2 occurrences, On admission, to include ...
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> Neurological Checks (Neuro Checks)		q2hr(s) 6 occurrences, , to include Vascular che...
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> Neurological Checks (Neuro Checks)		As Directed, , to include Vascular checks; with r...
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> Incentive Spirometry, Nsg		q2hrs while awake
<input type="checkbox"/>		<input checked="" type="checkbox"/> Jackson Pratt Drain		Measure, If less than 30cc per 8 hours; remove ...
<input type="checkbox"/>		<input checked="" type="checkbox"/> Hemovac Drain		Measure, If less than 30cc per 8 hours; remove ...
<input type="checkbox"/>		<input checked="" type="checkbox"/> Penrose Drain-		To be removed by SURGEON post-op day one (...)
<input type="checkbox"/>		<input checked="" type="checkbox"/> Cervical Collar Rigid		As Directed, AT ALL TIMES
<input type="checkbox"/>		<input checked="" type="checkbox"/> Cervical Collar Soft		As Directed, AT ALL TIMES
<input type="checkbox"/>		<input checked="" type="checkbox"/> Adult Urinary Management, 6771 Subphase		

## Spine Pathway Model

### Management of elective cervical and lumbar spine surgery candidates age 18 years and older.

	\$		Component	Status	Details
<input checked="" type="checkbox"/>   Respiratory Care					
<input checked="" type="checkbox"/>			Consult Respiratory Care (Consult Respiratory Care Adult ...		Lung Expansion Guideline
<input checked="" type="checkbox"/>			Oxygen Therapy, Resp Care		Wean/Titrate Keep SaO2 greater than 92
<input type="checkbox"/>			Pulse Oximetry Continuous		Wean/Titrate Keep SaO2 greater than 92, Instr...
<input checked="" type="checkbox"/>  Diet					
<input checked="" type="checkbox"/>			Advance Diet As Tolerated-Nsg		
<input type="checkbox"/>			NPO-Nothing by Mouth		
<input type="checkbox"/>			Regular Diet		
<input type="checkbox"/>			Diabetic Diet		2000 cal 
<input type="checkbox"/>			Clear Liquid Diet		
<input type="checkbox"/>			Heart Healthy		
<input type="checkbox"/>			Soft-Mechanical Diet		
<input checked="" type="checkbox"/>  Continuous Solutions					
<input checked="" type="checkbox"/>			Decrease		Decrease IV to hep lock when foley catheter is ...
<input type="checkbox"/>			Sodium Chloride 0.9%		1,000 mL, IV, @ 75 mL/hr 
<input type="checkbox"/>			Lactated Ringers		1,000 mL, IV, @ 75 mL/hr 
<input checked="" type="checkbox"/>  Medications					
<input type="checkbox"/>			1 Rx Communication (Pharmacy Nursing Communication)		Discontinue Scopolamine patch POD (1), OT
<input type="checkbox"/>  VTE Prophylaxis					
<input type="checkbox"/>			VTE Advisor, 6263 SubPhase		
<input type="checkbox"/>  Antibacterial Agents					
<input type="checkbox"/>			cefazolin (Ancef)		2 gram, Soln, IV, q8hr(s), For patients less than... 
<input type="checkbox"/>			Cleocin will only be used if patient is pen-allergic. If pen-allergic:		
<input type="checkbox"/>			dindamycin (Cleocin)		900 mg, Soln, IV, q8hr(s), 2 doses Diluted in 50mL.
<input type="checkbox"/>			If pen-allergic or High risk for MRSA initiate Vancomycin subphase		
<input type="checkbox"/>			Vancomycin Medication Orders (Adult Perioperative), 6779 ...		
<input type="checkbox"/>  Pain Management					
<input checked="" type="checkbox"/>			acetaminophen (Tylenol)		1000 mg, Tab, PO, q8hr(s), PRN, Other (see In...
<input checked="" type="checkbox"/>			oxycodone (oxycodone immediate release)		5 mg, Tab, PO, q4hr(s), PRN, Moderate Pain



### Spine Pathway Model

Management of elective cervical and lumbar spine surgery candidates age 18 years and older.

<input type="checkbox"/>	\$	<input type="checkbox"/>	Component	Status	Details
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	oxycodone (oxycodone immediate release)		10 mg, Tab, PO, q4hr(s), PRN, Severe Pain
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	morphine		4 mg, Inj, IM, q4hr(s), PRN, Breakthrough Pain,...
<input type="checkbox"/>		<input checked="" type="checkbox"/>	morphine		6 mg, Inj, IM, q4hr(s), PRN, Breakthrough Pain,...
<input type="checkbox"/>		<input checked="" type="checkbox"/>	morphine		10 mg, Inj, IM, q4hr(s), PRN, Breakthrough Pai...
			Use Dilaudid if patient allergic to Morphine		
<input type="checkbox"/>		<input checked="" type="checkbox"/>	hydromorphone (Dilaudid)		0.4 mg, Inj, IM, q4hr(s), PRN, Breakthrough Pai...
<input type="checkbox"/>		<input checked="" type="checkbox"/>	hydromorphone (Dilaudid)		0.4 mg, Inj, IM, q4hr(s), PRN, Breakthrough Pai...
Nausea and Vomiting Management					
<input type="checkbox"/>		<input checked="" type="checkbox"/>	ondansetron (Zofran)		4 mg, Inj, IV, q6hr(s), Nausea and Vomiting ...
<input type="checkbox"/>		<input checked="" type="checkbox"/>	promethazine (Phenergan)		12.5 mg, Inj, IV, q4hr(s), PRN, Nausea
Bowel-Indigestion Management					
<input type="checkbox"/>		<input checked="" type="checkbox"/>	magnesium hydroxide (Milk of Magnesia)		30 mL, Susp, PO, daily, PRN, Constipation
<input type="checkbox"/>		<input checked="" type="checkbox"/>	Al hydroxide/Mg hydroxide/simethicone (Mylanta Suspension)		30 mL, Susp, PO, q6hr(s), PRN, Indigestion Shake Well.
<input type="checkbox"/>		<input checked="" type="checkbox"/>	bisacodyl (Dulcolax Laxative)		10 mg, Supp, PR, daily, PRN, Constipation
<input type="checkbox"/>		<input checked="" type="checkbox"/>	polyethylene glycol 3350 (MiraLax)		17 gram, Pwd, PO, daily ...
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	docusate (Colace)		100 mg, Cap, PO, 2xdaily ...
<input type="checkbox"/>		<input checked="" type="checkbox"/>	docusate-senna (Senokot S)		2 tab, PO, daily, PRN, Constipation, Give if MO...
<input type="checkbox"/>		<input checked="" type="checkbox"/>	Fleets Enema		daily, PRN, Administer rectally as needed for co...
<input type="checkbox"/>		<input checked="" type="checkbox"/>	simethicone		80 mg, Chew tab, PO, 4xdaily, PRN, Other (see...
Anxiety Management					
<input type="checkbox"/>		<input checked="" type="checkbox"/>	lorazepam (Ativan)		0.5 mg, Inj, IV, q6hr(s), PRN, Anxiety and Agit... ...
Sleep Management					
<input type="checkbox"/>		<input checked="" type="checkbox"/>	zolpidem (Ambien)		5 mg, Tab, PO, HS, PRN, Insomnia
Ancillary Medications					
<input type="checkbox"/>		<input checked="" type="checkbox"/>	cyclobenzaprine (Flexeril)		10 mg, Tab, PO, 3xdaily, PRN, Muscle Spasm
<input type="checkbox"/>		<input checked="" type="checkbox"/>	diazepam (Valium)		10 mg, Tab, PO, q8hr(s), PRN, Muscle Spasm
<input type="checkbox"/>		<input checked="" type="checkbox"/>	dexamethasone (Decadron)		4 mg, Inj, IV, q6hr(s)



## Spine Pathway Model

Management of elective cervical and lumbar spine surgery candidates age 18 years and older.

\$		Component	Status	Details
Electrolyte Replacement				
<input type="checkbox"/>		1 Rx Adult Oral Electrolyte Replacement Guidelines		Follow Guideline, daily
<input type="checkbox"/>		1 Rx Adult IV Electrolyte Replacement Guidelines, General		Follow Guideline, daily
Glycemic Control				
<input type="checkbox"/>		Blood Glucose (POCT Glucose)		AC&HS
<input type="checkbox"/>		Notify		Physician Blood Sugar, for FSBS > 150 x 2 cons...
<input type="checkbox"/>		Adult Non-Pregnant Subcutaneous Insulin, 6001 PowerPlan		
Laboratory				
<input type="checkbox"/>		Basic Metabolic Panel (BMP)		Stat, OT, 1, occurrences, Specimen: Blood
<input checked="" type="checkbox"/>		CBC		Timed Study, AM Labs, 1, occurrences, Specime...
<input checked="" type="checkbox"/>		Basic Metabolic Panel (BMP)		Timed Study, AM Labs, 1, occurrences, Specime...
<input type="checkbox"/>		Prothrombin Time with INR (PT INR)		Timed Study, AM Labs, 1, occurrences, Specime...
<input type="checkbox"/>		PTT		Timed Study, AM Labs, 1, occurrences, Specime...
Diagnostic Tests				
<input type="checkbox"/>		CR Spine Entire AP + Lateral		T+1;0600, Timed, Reason: Post-op, Transport: ...
<input type="checkbox"/>		CR Cervical Spine 2 or 3 Views		T+1;0600, Timed, Reason: Post-op, Transport: ...
<input type="checkbox"/>		CR Thoracic Spine 2 Views		T+1;0600, Timed, Reason: Post-op, Transport: ...
<input type="checkbox"/>		CR Lumbar Spine 2 or 3 Views		T+1;0600, Timed, Reason: Post-op, Transport: ...
<input type="checkbox"/>		CR Spine Entire AP + Lateral		
Consults				
<input checked="" type="checkbox"/>		Consult Case Management		Reason: Discharge Planning, DME and home care
<input type="checkbox"/>		Consult Physical Therapy		Routine, Reason: Evaluation-Treatment, Brace ...
<input checked="" type="checkbox"/>		Consult Occupational Therapy		
<input type="checkbox"/>		Consult Speech Therapy		
<input type="checkbox"/>		Consult Hospitalist		
<input type="checkbox"/>		Consult Internal Medicine		
<input type="checkbox"/>		Consult Pulmonary		
<input type="checkbox"/>		Consult Cardiology		
<input type="checkbox"/>		Consult Oncology		
<input type="checkbox"/>		Consult Psychiatry		

## RESOURCES

Accelero Health Partners. (2014)

Ong, K., Lau, E., Ianuzzi, A., Kurtz, S., & Villarraga, M., (2009) Future demand in cervical, thoracic, and lumbar spine fusions: US projections to 2020. *The Spine Journal*, 19, 173s-174s. DOI: <http://dx.doi.org/10.1016/j.spinee.2009.08.374>

## For Additional Information

William Rambo, Jr., MD, Columbia Neurosurgical Associates: [dr1@columbianeurosurgical.com](mailto:dr1@columbianeurosurgical.com)

Olivia Osland, RN, Spine Program Nurse Navigator: [olivia.osland@palmettohealth.org](mailto:olivia.osland@palmettohealth.org)

Reviewed/Updated: 8/20/2015